

















Tikka telescopic sights for rifles

TIKKA telescopic sights are made by a well-known Japanese manufacturer. They are waterproof and have a high-quality finish. Designed to withstand the roughest of handling, their accuracy is unaffected by heavy recoil. For big game hunting we recommend models 1, 2, 3, 8, and 9.

For small game models 2, 3, 8, and 9. For target shooting models 4, 5, 6, 7, or 10.


Specifications

										anitions	al sheall
									Sigh	t No.	5000 5000 5000 5000 5000
Nodel No.	Magnifi- cation	Obj. diam. mm	Field of view at 100 m	Eye relief	Diam. of tube mm	Length mm	Weight g	1	2	3	4
1	2,5	32	11,3	75	25,4	300	300		•	•	
2	4	40	12,3	75	25,4	305	350				•
3	1,5-4,5	20	12,6-6,6	75	25,4	260	310		•	•	
4	3-9	40	12,0-5,5	75	25,4	320	390		•	•	
5	4-12	56	8,2-3,3	75	25,4	370	500		•	•	
6	10	56	4,5	75	25,4	365	480		•		
7	6	40	6,7	75	25,4	320	355		19		
8	1,5-5	32)	12,6-6,5	80	25,4	280	340		9		
9	4	40	10,7	80	25,4	330	420				
10	3-9	40	13.0-4.6	80	25.4	330	475				



Scope Mounts

TIKKA scope mounts and other TIKKA accessories are designed and manufactured by our factory. When you choose TIKKA scope mounts for your gun you may trust that your scope sits firmly in place in all circums tances. It is easy to attach the scope to the TIKKA guns with the TIKKA scope mounts thanks to the dovetailed grooves in the top surface of the receiver. The TIKKA scope mounts are made of steel, an exception is the quick detachable mount for TIKKA shotgun-



rifles M 07 and M 77 K, the ium alloy.	base of which is an alumin-	
00	00	
1	2	3
E	.00	
4	5	6
Clin Magazine	es for	

(1311)	174	Size of scope mounts in mm				
Model	No.				max: Ø	
		d	h		mm	
	611111	25,4	27	17	- 32	
	611112	26,0	27	17	32	
1	611115	25,4	31	17	40	
	611116	26,0	31	17	40	
	612400	25,4	27	17	32	
	612401	26,0	27	17	32	
	612402	25,4	32	17	40	
•	612403	26,0	32	17	40	
2	612404	25,4	40	17	56	
	612405	26,0	40	17	56	
	613300	25,4	27	17	32	
	613306	26,0	27	17	32	
	613301	25,4	32	17	40	
3	613307	26,0	32	17	40	
	613302	25,4	40	17	56	
	613308	26,0	40	17	56	
611	614113	25,4	27	11	32	
_	614114	26,0	27	11	32	
4	614117	25,4	31	11	40	
	614118	26,0	31	11	40	
	615406	25,4	27	11	32	
	615407	26,0	27	11	32	
_	615408	25,4	32	11	40	
5	615409	26,0	32	11	40	
	615410	25,4	40	11	56	
	615411	26,0	40	11	56	
6	616127	25,4	32	11	40	
6	616168	26,0	32	11	40	

Models 1, 2, and 3: telescopic sight mountings for TIKKA rifles Models 4, 5, and 6: telescopic sight mountings for TIKKA M 07 shotgun-rifle

Tikka Rifle		
TIKKA NIIIE		Rifle M 55 5 cartridges
	Sporter M 65 10 cartridges	Sporter M 65 7 cartridges
Rifle M 55 3 cartridges		610358 Base for Front Sight (Anschütz 6723)
	610357	610083

Base for Receiver Sight

(Anschütz 6723)

	NO. OF CARTR.					
Model	cal.	3	4	5	7	10
	17 Rem.	•		•		
M 55	.222 Rem.	•		•		
Standard	.223 Rem.	•		•		
Deluxe	22-250 Rem.	•		•		
Sporter	6 mm Rem.	•		•		
Heavy barrel	.243 Win.	•		•		•
	.308 Win.	•		•		•
	25-06			•		
M 65	6,5 x 55			•		
Standard	7 x 57			•		
Deluxe	7 x 64			•		
Wildboar	.270 Win.			•		
Heavy barrel	.308 Win.			•	4	9.
9	30-06			•		•
	7 mm Rem. Mag.		•			
	.300 Win. Mag.		•			
	25-06				•	
M 65	6,5 x 55				•	
Sporter	.270 Win.				•	
	.308 Win.				•	•
	30-06				•	•

When ordering magazines the number of cartridge has to be mentioned, as well as the gun type and caliber.

639145 Swivel



610167

Plate

Rubber Butt



Swivel for Sporter models Swivel for Sporter models for stock fitting

619200

Acryl Sight

for Rifle

for guide rail fitting



Aiming at perfection

TIKKA firearms offer you superb performance, reliability and handling qualities. For us, guns are not simply products, but an essential element in the pleasure of hunting. Your aim is our aim – accuracy and reliability every time.

Choose TIKKA. Designed and refined for the hunter.



				Book Committee of the C	T SPERMINENT VENEZIONE
CENTERFIRE RIFLES	cal.	weight	barrel length	overall length	
TIKKA M 55 Standard and Deluxe	17 Rem., .222 Rem., .223 Rem., 22–250 Rem., .243 Win., 6 mm Rem., .308 Win.			580 mm	1070 mm
TIKKA M 55 Heavy Barrel	.222 Rem., 22–250 Rem., .223 Rem., .243 Win., .308 Win.			620 mm	1100 mm
TIKKA M 65 Standard and Deluxe	25-06, 6,5 x 55, 7 x 64, .270 Win., .308 Win., 30-06, 7 .300 Win. Mag.	3,4 kg	560 mm	1080 mm	
TIKKA M 65 Heavy Barrel	6,5 x 55, .270 Win., .308 Win., 30–06			620 mm	1120 mm
TIKKA M 65 Wildboar	25-06, 6,5 x 55, 7 x 64, .270 Win., .308 Win., 30-06, 7 mm Rem. Mag., .300 Win. Mag.			520 mm	1040 mm
TIKKA M 55 Sporter	.222 Rem., 22–250 Rem., .223 Rem., .243 Win., .308 Win.			620 mm	1100 mm
TIKKA M 65 Sporter	6,5 x 55, .270 Win., .308 Win., 30–06			620 mm	1100 mm
TIKKA- SHOTGUN-RIFLES	cal.	chokes	weight	barrel length rifle/shot	overall length
TIKKA M 77 K	12/70–.222 Rem., 5,6 x 52R, 6,5 x 55, 7 x 57R, 7 x 65R, .308 Win.	xx (3/4)	3,5 kg	580/635 mm	1075 mm
TIKKA M 07 Standard and Deluxe	12/70222 Rem., 5,6 x 50R Mag., 5,6 x 52R xx (3/4)		3,2 kg	580/635 mm	1030 mm
TIKKA-SHOTGUN	cal.	chokes	weight	barrel length	overall length
TIKKA M 77	12/70	x - xxx (1/1-1/2) xx - xxxx (3/4-1/4)	3,3 kg	680 mm (27")	1120 mm

